P.03

Serial No. 09/967,218

Docket No.: KCC-15,529

Amendments to the Claims

- 1. (Currently Amended) A textile fiber comprising polypropylene blended with about [[1-25%]] 0.59-4% by weight impact modifier, the impact modifier selected from the group consisting of ethylene-propylene-diene-monomer, ethylene-propylene monomer, ethylene-propylene rubber, styrene/ethylene-co-butadiene/styrene, styrenepoly(ethylene-propylene)-styrene-poly(ethylene-propylene), multi-block elastomeric copolymers, polyurethanes, polyamides, polyesters, single-site or metallocenecatalyzed polyolefins having density less than about 0.89 grams/cc, and ethylene/styrene.
- (Currently Amended) The textile fiber of Claim 1, wherein the impact 2. modifier has an ethylene content between about 48% and about 72% textile fiber comprises about 2 15% by weight impact medifier.
- 3. (Currently Amended) The textile fiber of Claim 1, wherein the impact modifier comprises at least one of the group consisting of ethylene-propylene-diene monomer, ethylene-propylene monomer, and ethylene-propylene rubber, the impact modifier having an ethylene content between about 48% and about 72% textile fiber comprises about 3-10% by weight impact modifier.
- 4. (Currently Amended) The textile fiber of Claim 1, wherein the impact modifier comprises a copolymer selected from the group consisting of ethylenepropylene-diene-monomer having an ethylene content between about 48% and about 72%, ethylene-propylene monomer having an ethylene content between about 48% and about 72%, ethylene-propylene rubber having an ethylene content between about and about 72%, styrene/ethylene-co-butadiene/styrene. and styrenepoly(ethylene-propylene)-styrene-poly(ethylene-propylene).
- 5. (Original) A spunbond fiber comprising the textile fiber of Claim 1.

Serial No. 09/967,218

- Docket No.: KCC-15,529
- 6. (Original) A staple fiber comprising the textile fiber of Claim 1.
- 7. (Original) A multi-fiber yarn comprising the textile fiber of Claim 1,
- 8. (Original) A knit fabric comprising the textile fiber of Claim 1.
- 9. (Original) A woven fabric comprising the textile fiber of Claim 1.
- 10. (Original) A nonwoven fabric comprising the textile fiber of Claim 1.
- 11. (Original) An absorbent article comprising the nonwoven fabric of Claim 10.
- 12. (Currently Amended) A textile fiber comprising polypropylene blended with about 2-15% by weight impact modifier, the impact modifier selected from the group consisting of ethylene-propylene-diene-monomer having an ethylene content between about 48% and about 72%, ethylene-propylene monomer having an ethylene content between about 48% and about 72%, ethylene-propylene rubber having an ethylene content between about 48% and about 72%, styrene/ethylene-co-butadiene/styrene, and styrene-poly(ethylene-propylene)-styrene-poly(ethylene-propylene).
- 13. (Original) A spunbond fiber comprising the textile fiber of Claim 12.
- 14. (Original) A staple fiber comprising the textile fiber of Claim 12.
- 15. (Original) A multi-fiber yarn comprising the textile fiber of Claim 12.
- 16. (Original) A knit fabric comprising the textile fiber of Claim 12.
- 17. (Original) A woven fabric comprising the textile fiber of Claim 12.
- 18. (Original) A nonwoven fabric comprising the textile fiber of Claim 12.

Serial No. 09/967,218

Docket No.: KCC-15,529

- 19. (Original) An absorbent article comprising the nonwoven fabric of Claim 18.
- 20. (Currently Amended) A nonwoven fabric comprising a plurality of modified fibers, the modified fibers including polypropylene blended with about 1-25% by weight impact modifier, the impact modifier selected from the group consisting of ethylene-propylene-diene-monomer having an ethylene content between about 48% and about 72%, ethylene-propylene monomer having an ethylene content between about 48% and about 72%, ethylene-propylene rubber having an ethylene content between about 48% and about 72%, ethylene-propylene rubber having an ethylene content between about 48% and about 72%, styrene/ethylene-co-butadiene/styrene, and styrene-poly(ethylene-propylene)-styrene-poly(ethylene-propylene).
- 21. (Original) The nonwoven fabric of Claim 20, wherein the modified fibers comprise about 2-15% by weight impact modifier.
- 22. (Original) The nonwoven fabric of Claim 20, wherein the modified fibers comprise about 3-10% by weight impact modifier.
- 23. (Original) An absorbent article comprising the nonwoven fabric of Claim 20.